



OPTICAL SIGHT M20 (4x32)

Features:

- Magnification: 4x
- Field of view: 7°
- Exit pupil diameter: 6mm
- Range of sight rectification: $\pm 0-10$
- Exit pupil distance: 60 mm
- Eyepiece diopter fixed: -0,5 dptr to -1,5 dptr
- Resolution: to 15"
- Distance scale on reticle: 100m, 300m, 500m for calibers 5,56 and 7,62
- Distance scale on reticle: 100m, 300m, 500m and 800m for caliber 6,5
- Range of overtaking scale: $\pm 0-04$
- Working temperature: from -30°C to $+50^{\circ}\text{C}$
- Reticle illumination: LED
- Power supply: Battery 3V CR2032
- Minimum work autonomy: 200h
- Dimensions: 140x80x75mm
- Mass: $\leq 0,65$ kg



Optical sight 4x32 is designed for targeting fixed and moving targets at firing an automatic rifles at distances up to 500m by day, by day in low visibility conditions and at night by visible targets. It is equipped with an adapter that enables fast and reliable mounting of the sights on the picatinny rail.

Also, this sight meets all requirements of high precision; it has a practical use in extreme climatic and terrain conditions.

The picture shows M20 with Reflex Sight RS-C.



TELEOPTIK-GYROSCOPES , 31 Filipa Višnjića Street , 11080 Belgrade, SERBIA

Tel: +381 11 2614 522 Tel/Fax: +381 11 2105 439 E-mail: office@ziroskopi.rs Web: www.ziroskopi.rs